

NEW PRODUCT GUIDE







NOX & SOOT SENSOR THREAD CLEANER DUAL SIZE

- Cleans and restores thread condition
- Features central hex key suitable for wrench or deep socket with dual end
- Suitable for diesel particulate filter sensors and most exhaust sensors
- Manufactured from heavy duty chromium molybdenum steel

Size

M20 x 1.5mm & M22 x 1.5mm





302209

SEAT COVER REUSABLE

- Professional seat cover protects the seat during maintenance and repair work
- Features waterproof top layer to prevent staining interior trim from grease and fluids
- Suitable for cloth and leather seat trims
- Manufactured from durable nylon top layer and PVC backing
- Universal seat cover applicable for standard and bucket seats

Dimensions 1400 x 700



HOSE CLAMP PLIER LONG REACH 440MM

- Specialty long reach hose clamp pliers
- Unique design jaws enable grip onto multiple style hose clamps
- Ergonomic PVC grips with position lock holds clamp open while manoeuvring
- Suitable for automotive and industrial applications including agricultural and heavy vehicle
- Manufactured from heavy duty steel for strength and durability

Part No.	Style	Jaw Capacity	Jaw Type	Overall Length
321851	Straight	0-50mm	Waffle textured jaw	440mm
321852	Angled	0-50mm	Waffle textured jaw	440mm



BREAKER BAR 1" SQUARE DRIVE 1000MM

- Extra heavy duty breaker bar for loosening and tightening applications
- Features robust 180° flex head square drive
- Suitable for heavy vehicle and industrial applications
- Manufactured from heat treated drop forged chrome vanadium steel with corrosion resistant mirror chrome finish

Part No.	Description	Square Drive
301536	Heavy duty breaker bar	1"
301536A	Breaker bar replacement head	1"





PLIER RACK ORGANISER 12 SLOT

- Professional quality plier rack organiser
- Features 12 slots suitable for various style pliers
- 13 adjustable dividers allow for customised toolbox organisation
- Improves toolbox storage capacity
- Manufactured from durable ABS plastic
- Capacity: 12 pliers

Size

L) 300mm x W) 90mm x H) 70mm









NUT & BOLT EXTRACTORS HEAVY DUTY

- Specially designed twist sockets to assist in the removal of rounded and damaged nuts and bolts
- Pass through design sockets enable access to reach nuts on longer studs
- Twist socket sets require either 1/4" impact driver or a 3/8" square driver with optional hex head for use with a wrench to allow additional option in confined spaces
- Manufactured from heavy duty SCM440 hardened steel finished in black phosphate
- Socket sets are supplied in heavy duty blow mould storage case (except 301541)

Part No.	Size	Pieces	Туре	Length	Drive
301538	3/8", 7/16" (11mm), 1/2", 9/16" (14mm), 5/8" (16mm)	5	Deep	63.5mm	3/8"
301539	5/16", 3/8", 7/16", 12mm, 1/2", 9/16", 15mm, 5/8", 11/16" and 3/4"	10	Shallow	27.3mm	3/8"
301541	1/4", 5/16", 3/8", 7/16", 1/2"	5	Impact driver	65mm	1/4" Impact driver



301540

BEARING & SEAL INSTALLER KIT 20 PIECE

- Designed to install bearings and seals on light passenger vehicles, HGV, agriculture and industrial machinery
- Knurled driver handles add extra comfort and grip for continuous accurate
- Suitable for light passenger vehicles, motorbikes, HGV, LGV, agricultural and industrial machinery
- Manufactured from heavy duty alloy steel
- Set includes 16 adaptors ranging from 9.5mm 35mm (3/8" to 1³/8")
- Supplied in blow mould storage case

Size Range	Driver Lengths
9.5mm - 35mm (3/8" to 1 ³ /8")	105mm, 120mm, 155mm







TELESCOPIC SUPPORT STAND ALLOY

- Specifically designed to hold open bonnets and tailgates where the bonnet gas struts have failed
- Adjustable twist lock feature with heavy duty rubber end caps
- Universal tool suitable for bonnets, boot lids, hatch back tailgates etc
- Manufactured from aluminium with heavy duty rubber end caps
- Essential tool for replacing gas struts

Length	Rubber Cap Diameter
540mm-1200mm	Ø29mm & Ø37.5mm



CLEANING BRUSHES HEAVY DUTY

- New range of cleaning brushes with either steel or copper bristles
- Heavy duty brushes ideal for removing brake dust, ingrained grit, lime scale, rust and corrosion
- Copper cleaning brush adequately removes the buildup of corrosion around battery posts and delicate surfaces
- Steel bristles ideal for removing paint, clear coats and rust including surface preparation
- Suitable for automotive and industrial applications
- Ergonomic handle with contoured grip allows for additional precision and control

Part No.	Bristle	Overall Length
321096	Steel	220mm
321097	Copper	220mm



269014

SLIDE HAMMER PULLER ASSEMBLY 490MM

- Combination sliding hammer with internal puller attachment
- Ideal for removing bearing cups, outer races and oil seals
- Contains knurled handle providing extra grip for continuous efficient movement
- Suitable for all internal pulling jobs that meet spread and reach specifications
- Manufactured from heavy duty forged steel for strength and durability

Reach	Spread	Hammer Weight
55mm	13-60mm	2.3kg



306990

DRIVE SHAFT REMOVAL FORK SET 2 PIECE 350MM

- Specially designed for the removal of drive shafts in most front wheel drive vehicles
- Slotted fork design provides a snug fit over driveshaft for removal
- Universal tool for safe and efficient removal
- Forked end design ensures even pressure distribution to both sides of the shaft upon removal
- Application includes light and commercial vehicles
- Manufactured from heavy duty drop forged steel



MULTIFUNCTION ELECTRICAL PLIERS 210mm

- Multifunction plier suitable for gripping, looping, stripping, cutting, screw shearing and crimping
- Serrated jaw design for easy manipulation and strong grip over multiple components
- Narrow long nose design for hard to reach areas
- Ergonomic dual component handles provide comfortable and secure grip
- Strips and cuts wiring from 10-18 AWG solid and 12-20 AWG stranded wiring
- Capable of shearing 6-32 and 8-32 screws
- Crimps non-insulated connectors, lugs and terminals
- Manufactured from heavy duty hardened and tempered steel for exceptional strength and durability





BUTANE GAS TORCHES PROFESSIONAL

- Professional blow torch range suitable for automotive, industrial, plumbing, electrical work, DIY and hobbyists
- Applications include heat shrinking wires, warming up objects, loosening bolts, etc
- Ergonomic design for stability and comfort
- Blow torch features continuous flame function and detachable base
- Compact jet lighter torch ideal to store in workshop toolbox, kitchen drawer or as part of camping kit
- Adjustable flame width and length
- Both torches are refillable with quality butane gas





Part No.	Temperature	Flame Type
302090	1000-1100°C	Pointed & soft flame
302091	1000°C	Jet micro flame







309252

AXLE LOCKING TOOL KIT 6 PIECE

- Safely lock axle hubs to remove or tighten drive shaft nut
- One person operation to save time
- Avoids damaging brake caliper and brake discs
- Suits most pitch circle diameters
- Simply attach over wheel hub and tighten wheel bolts
- Durable thermoplastic with high mechanical strength and rigidity

Contents

contents		
Description	Qty	
Axle Retainer	1	
Plastic Rollers	2	
M12 x 1.75 (15mm)	1	

Description	Qty
M12 x 1.75 (25mm)	1
M12 x 1.75 (45mm)	1



NEW PRODUCT GUIDE 2024





Square Drive

3/8"

Sizes	
Hex: 8, 9, 10, 12, 14, 17mm. Square: 7, 8, 10, 11, 12, 13, 14mm. Female Square: 10mm. Triangle: 10mm. Spline: M16 (12Pt). Square: 5/16in & 3/8in	

305398

OIL DRAIN PLUG SOCKET SET 18 PIECE

- Universal oil drain plug set ideal for servicing transmissions, transfer cases, differentials, oil reservoirs etc
- Special socket head design minimises damage to the drain plug during removal
- Suitable for automotive applications including agricultural and plant equipment
- Manufactured from quality chrome vanadium steel in matt finish
- Set includes hex, female square, triangle, spline and square
- Supplied in blow mould storage case







305399

FILLING FUNNEL SET LONG REACH STRAIGHT/ANGLED

- Universal long reach funnel allows for filling in confined spaces
- Suitable for straight or angled configuration
- Features wide transparent funnel mouth with in built bleed tube to enable faster and spill proof filling
- Incorporated strainer to filter contaminates and unwanted particles
- Manufactured from polycarbonate with extension tube and polypropylene adaptor

Overall Length	Funnel Diameter	
535mm	135 x 170mm	









305406

FLUID TRANSFER PUMP MANUAL 1 LITRE

- Compact design ideal for fluid top up and re-filling
- Manual pump allows for precise measurement of fluid without spilling
- Heavy duty spring and piston design enables continuous pumps
- Features heavy duty hose and spout for hard to reach areas
- Transparent bottle with 100ml graduations
- Suitable for automatic transmission fluids, differential oils, brake fluids and hydraulic fluids
- Bottle is manufactured from durable heavy duty plastic for strength and durability
- Not recommended for combustible or hot fluids







ROTARY DRUM PUMP CHEMICAL

- Heavy duty rotary pump designed for transferring chemicals
- Suitable for most thinners, mineral oils, acids, alkalis, alcohols, acetone, petrol, diesel, kerosene, AV gas, water-based chemicals and AdBlue
- Maximum allowed oil viscosity SAE 30 (ISO VG 100)
- Adjustable outlet spout to accommodate various angles and conditions
- Height adjustable suction tube for various drum sizes
- Rotary action provides quick and efficient delivery of fluid
- Manufactured from durable polypropylene with royton rotors resistant to corrosion and chemicals

Part No.	Description	Flow Rate	Capacity
305501	Rotary drum pump - chemical	Up to 37LPM (10GPM) depending on viscosity	60-205L drums
305502	Delivery hose (optional)	-	-










TRIM TOOLS STEEL

- Essential tools for prying interior and exterior trims, mouldings, fasteners, clips and badge emblems etc.
- High strength slim radius taper tips for use in confined areas with very little deflection when prying and wedging
- Double ended head features straight and curved edge providing a multitude of wedging access
- Suitable for prying applications where extra force is required
- Features handy hang hole for ease of storage

Part no.	Description	Overall length
313316	Wedge Tool Dual End Steel	210mm
313317	Trim Removal Tool Set Steel - 2 Piece	224mm & 174mm

313318

MULTIPURPOSE TRIM PLIERS 175MM



- Ergonomic, comfort grip handle with built-in return spring improves efficiency after each compression
- Durable jaw design enables strong and stable grip
- Spring loaded handle for ease of motion
- Flush cut jaws for cutting stubborn trim clips
- PVC dipped handles provide extra comfort
- Manufactured from heavy duty stainless steel

Jaw Opening (Max)	Jaw Overall Length	Overall Length	
25mm	30mm	175mm	









313322

WEDGE STEPPED 280MM

- Designed to assist with aligning panels, glass windows and trims
- Stepped design head allows user to gradually increase or decrease gap
- Universal applications include automotive, industrial and construction
- Manufactured from heavy duty polyoxymethylene to avoid scratching and scuffing

Thickness (Min-Max)	Overall Length
3-17mm	280mm







313323

PROFESSIONAL PANEL GAP GAUGE 2 PIECE

- Professional panel gap gauge for aligning front guard panels, tail lights, doors, bonnet and boot lid etc
- Features heavy duty sturdy suction cups with colour coded gauges
- Suitable for automotive panel work
- Manufactured from heavy duty rubber base with POM gauge to prevent scratching surface

Size Range 1-10mm









ENGINE OIL PRESSURE TEST KIT 9 PIECE UNIVERSAL

- Professional oil pressure test kit to accurately diagnose oil pressure loss, oil warning indicators and worn oil pumps
- Heavy duty pressure gauge for rubber protector and extended hose
- Universal kit suitable for light passenger to commercial vehicles including agricultural and plant engines
- Durable brass fittings and heavy duty hose
- Contains various adaptors and pressure gauge with hose
- Supplied in blow mould storage case

Adaptor Size	Hose Length	Pressure Range
3/8" NPT, 1/4" NPT, M8, M10, 1/8" NPT & 90° elbow	1.8m	0-300Psi (0-20Bar)









307019

DIESEL LOW PRESSURE TEST KIT 14 PIECE UNIVERSAL

- Professional kit designed specifically for the inspection and diagnosis of low pressure side diesel fuel systems
- Features ten quick-connect fuel line adaptors covering a wide range of vehicle makes and models
- Transparent hose tubing adaptors accommodate inspection of fuel impurities and identification of air ingress
- Heavy duty brass fitting and durable hoses
- Extra-long connector hoses for confined space in engine compartments
- Supplied in heavy duty storage case
- User guide included

Contents

Ref.	Description
1	Pressure Gauge -1 - 5 bar
2	Pressure Gauge -1 - 15 bar
3	Connector Hose (2m, Ø6.0mm) (2 Piece)
4	T-connector SAE 8 x 20mm
5	T-connector SAE 9.5 x 20mm
6	T-connector NG8 Type 246

Ref.	Description
7	T-connector SAE 8 x 30mm
8	T-connector SAE 10 x 20mm
9	T-connector SAE 10 x 30mm
10	T-connector SAE 11.8 x 25mm
11	T-connector Ø6mm
12	T-connector Ø8mm
13	T-connector Ø10mm





311050

CONTROL ARM PRYING ANCHOR HEAVY DUTY

- Prying anchor designed to lower control arm and separate the ball joint
- Ideal for keeping hands and loose clothing from moving components
- Small compact design allows access for the removal of suspension arms,
 CV joints and front hub assemblies
- Replaces the need for extra person improving work efficiency
- Safe way of removing components
- Suitable for most front wheel drive vehicles
- Eyelet end fits any 7/8" pry bar



AUSTRALIA

Phone: 1300 362 263 Fax: 1300 656 006 Email: sales@tridon.com.au tridon.com.au

NEW ZEALAND

Phone: 0508 874 366
Fax: 0800 943 480
Email: sales@tridon.co.nz
tridon.co.nz