

NEW PRODUCTS 2018/2019

INCLUDES NEW RANGE OF:

- Loadstar Integrated Pullers
- Puller Kits in Foam Trays
- LED Worklights
- Digital Torque Wrenches
- Great new packaging on all products!

Collapsible Magnetic Parts Trays

- Unique design allows the parts tray to close fully flat for easy storage
- Height adjustable to suit different applications
- Suitable for safely storing small parts, nuts, bolts and screws
- Strong rubber covered magnetic base prevents scratching on sensitive surfaces
- Sticks to any ferrous surface with ease
- Available in three different sizes

680001

Part No:	Shape	Size	Depth Range	Magnet Size
680001	Round	135mm	10 - 80mm	1 x 50mm
680002	Round	225mm	10 - 115mm	1 x 85mm
680003	Oval	200 x 280mm	10 - 60mm	2 x 80mm

Professional Diamond Tipped Mini Engraver

Part No: 680004

- Handy pocket engraver easily marks glass, ceramic, plastic and hardened metals
- Long lasting diamond tip
- Suitable for personalising tools, toys, sport equipment, appliances, gifts and trophies

Sykes-Pickavant。





Butane Soldering Iron Kit 9pc

Part No: 680005

- Three features in one kit: Soldering Iron, Hot Torch and Hot Blower
- Includes eight accessories and attachments for all soldering applications
- Clear viewing window provides an accurate level of remaining butane
- Stainless steel butane tank for extra strength and durability

Contents	Qty	Contents		Qty Contents			Qty
Butane Gas Soldering Iron	1	Anvil Tip		1	Protective Cooling Down Cap		1
Solder Dispenser	1	Needle Tip		1	Cleansing Sponge		1
Chisel Tip	1	Heat Shrinking Deflector		1	Cooling Down Tray		1
Specifications							
Burning Time		60 min Flame		eTemperature		1300°C	
Butane Storage Capacity		15ml Solderi		oldering Temperature		450°C	
Fuel Type		Butane Hot Air		Temperature		600°C	



Loadstar Integrated Hydraulic Pullers

- Easy to use lightweight pullers with inbuilt pump and ram
- Suitable for tough, heavy duty applications where standard mechanical pullers cannot be used
- Pump lever can be rotated 360° to assist pulling process in confined spaces
- Twin and triple head allows for both 2 or 3 leg pulling

• minune										
Part No.	Capacity	Reach mm	Spread mm	Stroke mm	Weight Kg	0 7				
204004	4 Tonne	185	255	60	8.0					
204006	6 Tonne	220	330	70	9.8					
204008	8 Tonne	230	350	85	11.7					
204012	12 Tonne	270	375	85	14.8					
204020	20 Tonne	360	520	111	25.7					
204030	30 Tonne	360	550	111	36.0					

Thread File Set 4 Piece

Part No: 015605

- Designed for the restoration of damaged or worn threads
- Ideal for where conventional dies cannot be used
- Works on both left and right hand thread applications
- Each thread file provides eight different pitch sizes
- File Length: 75mm
- Overall Length: 215mm
- Made in England

Contents

Part No.	Thread	Pitch
015600	BSW/BSF	11, 12, 14, 16, 18, 20, 22, 26
015601	SAE/UN	12, 13, 14, 16, 18, 20, 24, 28
015602	Metric	0.75, 1, 1.25, 1.5, 1.75, 2, 2.5, 3
015603	BSP	11, 12, 14, 16, 19, 20, 22, 28

Hydraulic Twin Leg Puller Kit

Part No: 152400

- Ideal for a wide range of automotive and industrial applications including gear pulling, bearing extraction and hub re-moval
- Features forged alloy steel legs for added strength and durability
- Supplied in custom moulded EVA foam tray
- Spread 50 100mm, Reach 100mm
- Made in England





1500 Series Hydraulic Ram

Part No: 150000

- Renowned globally for quality and reliability
- Rated to 80kN providing 8 tonnes of force with minimal effort
- Grease filled bore for consistent high performance
- Supplied in custom moulded EVA foam tray
- Made in England

Twin & Triple Leg Puller Kit

Part No: 082705

- For the quick and safe removal of gears, races, bearings, pulleys and sprockets
- Contains three double ended reversible legs and two beams to suit various pulling appli-cations
- Makes four different puller combinations
- Spread 0 150mm, Reach 80mm
- Made in England

Thin Jaw Twin Leg Puller

Part No: 086000

- Specially designed leg jaw profile for pulling tasks where there is limited clearance behind the component to be removed
- Features two legs for removing gears, races, bearings and sprockets
- Forged alloy steel legs and beam for added strength and durability
- Spread 0 75mm, Reach 75mm
- Made in England









NEW PRODUCTS

2018 / 2019

Professional Pocket LED Pen Light Rechargeable

Part No: 300600

- Bright and robust pocket pen light for quick and easy illumination of dark work areas
- Lighting modes: bottom light with direct beam and work light with wide flood beam
- Inbuilt belt clip with magnet
- High impact ABS plastic housing with impact resistant polycarbonate lens
- Rechargeable Li-ion battery via the supplied USB charging lead
- LED charging indicator: Red Charging, Green Fully Charged

Sp	ecifications	Specifications			
Bottom Light	1W SMD LED	Charging Cable	1m Mirco USB to Standard USB		
Work Light	x7 SMD LED's	Charging Time	2 Hours		
Run Time Bottom Light	4 Hours	IP Rating	IP20		
Run Time Work Light	2.5 Hours	Weight	60g		
Battery	Rechargeable 3.7V Li-ion	Magnets	1		

Professional LED Work Light Rechargeable Part No: 300601

- Multifunctional work light for the professional user
- Lighting modes: top light with direct beam and work light with wide flood beam
- Super strong magnets and two 360° rotating hooks allow for hands free operation
- 180° swivel stand with strong inbuilt magnet
- High impact ABS plastic housing with impact resistant polycarbonate lens
- Rechargeable Li-ion battery via the supplied USB charging lead
- LED charging indicator: Red Charging, Green Fully Charged

Sp	oecifications		Specifications	
Top Light	3W LED	Charging Time	3.5 Hours	
Work Light	4W COB LED	IP Rating	IP54	
Run Time Top Light	8 Hours	Weight	320g	
Run Time Work Light	3 Hours	Magnets	3	
Battery	Rechargeable 3.7V Li-ion	Hooks	2	
Charging Cable	1m Mirco USB to Standard USB		·	

Professional LED Slimline Work Light Rechargeable

Part No: 300602

- Ultra-bright and lightweight slim work light illuminates hard to reach places with ease
- Lighting modes: top light with direct beam and work light with wide flood beam on adjustable dimmer switch
- 360° rotating swivel ball joint with super strong magnet and folding hook allows for hands free operation
- High impact ABS plastic housing with impact resistant polycarbonate lens
- Rechargeable Li-ion battery via the supplied USB charging lead
- LED charging indicator: 5 LED battery level scale built into housing

		-		
SI	pecifications		Specifications	
Top Light	3W SMD LED	Charging Time	4 Hours	
Work Light	7W COB LED	IP Rating	IP54	
Run Time Top Light	10 Hours	Weight	250g	
Run Time Work Light	2-16 Hours (dimmer switch)	Magnets	1	
Battery	Rechargeable 3.7V Li-ion	Hooks	1	
Charging Cable	1m Mirco USB to Standard USB			











NEW PRODUCTS

Motorq Professional Digital Torque Wrenches

The renowned Sykes-Pickavant Professional Torque Wrench range is now available with a digital display

- Features the proven Sykes-Pickavant mechanism and push-thru ratchet head
- Provides up to 12 different units of torque on a clear and easy to read digital OLED display
- Rechargeable lithium battery via the USB charging port (charging lead included)
- Push / pull torque adjustment knob that allows for rapid and accurate torque settings
- Unique Timestrip® feature that provides a visual indication of when the torque wrench is due for re-calibration
- Made in England

	Motorq Proofessional Digital Technical Specifications									
Part No.	Description	5 m Dr	Torque	Capacity	Ratchet	Ratchet	Longth	Waight		
		Sq. Dr	Nm	Lbf. ft.	Teeth	Diameter	Length	Weight		
830050	Motorq 50	3/8″	10 - 50	7.5 - 37.5	72	35mm	340mm	0.77kg		
830101	Motorq 101	1/2″	20 - 100	15 - 75	72	45mm	392mm	1.01kg		
830200	Motorq 200	1/2″	40 - 200	30 - 150	72	45mm	474mm	1.14kg		
830300	Motorq 300	1/2″	60 - 300	45 - 220	60	52mm	598mm	1.49kg		
830340	Motorq 340	1/2″	60 - 340	45 - 250	60	52mm	690mm	1.55kg		









Motorq Heavy Duty Torque Wrenches

The Sykes-Pickavant Heavy Duty Torque Wrench range now includes two additional smaller sizes that still have all the features of the large variants but can be used in applications where space is restricted

- Unique profiled cam and reaction plate provides an unmistakable signal that can be seen and felt which reduces the possibly of over torquing
- Robust construction provides accurate torque results and is suitable for all heavy duty applications
- Ideal for space restricted applications
- Suitable for passenger and light commercial vehicle maintenance

e i mun X

TRIDON >

• Made in England

ES	Motorq Heavy Duty Technical Specifications										
SIZ	Part No.	Description	6 m Du	Torque Capacity		Ratchet Ratchet		I	Weight		
			Sq. Dr	Nm	Lbf. ft.	Teeth	Diameter	Length	weight		
NEW	800270	Motorq 270	1/2″	70 - 270	50 - 200	60	52mm	690mm	2.65kg		
	800340	Motorq 340	1/2″	80 - 340	60 - 250	60	52mm	783mm	3.00kg		

For other larger sizes visit **sykespickavantexport.co.uk**





Easy To Read Dual Scale



Pull Out Torque Adjustment Bar



AUSTRALIA 1300 362 263 Fax: 1300 656 006 or visit tridon.com.au

Sykes-Pickavant. is exclusively distributed in Australia and New Zealand by Tridon